

## **Historic, Archive Document**

Do not assume content reflects current  
scientific knowledge, policies, or practices.



280.3479  
n 34PU. S. DEPT. OF AGRICULTURE  
LIBRARYp. 2 POULTRY

Slaughtered under Federal Inspection and Poultry  
Used in Canning and Other Processed Foods  
May 1964

SEP 29 1964

CURRENT SERIAL RECORDS 1, 1964

Inspected Poultry - The number of head and pounds live weight (chickens, turkeys, and ducks combined) inspected during May 1964 under the Poultry Inspection Act carried on by the U.S.D.A. were 179,959,000 head and 672,396,000 pounds as compared with 179,929,000 head and 669,106,000 pounds in May 1963. The number of head and pounds (live weight) inspected by classes in May 1964 were: young chickens, 166,997,000 head, 581,546,000 pounds; mature chickens, 9,057,000 head, 44,786,000 pounds; fryer-roaster turkeys, 1,006,000 head, 8,514,000 pounds; young turkeys, 941,000 head, 16,044,000 pounds; old turkeys, 657,000 head, 13,412,000 pounds; and ducks 1,301,000 head, 8,094,000 pounds.

Certified Poultry - The quantity of poultry certified as wholesome in May 1964 totaled 489,060,000 pounds ready-to-cook weight of which 400,647,000 pounds were iced and 88,413,000 pounds were frozen. Total pounds certified by class of poultry were as follows: young chickens, 423,006,000 pounds; mature chickens, 30,218,000 pounds; fryer-roaster turkeys, 6,542,000 pounds; young turkeys, 12,679,000 pounds; old turkeys, 10,719,000 pounds; ducks, 5,782,000 pounds; and other poultry, 114,000 pounds.

Canned and Processed Poultry - Poultry inspected and used for canning and other processed food in May 1964 totaled 49,260,000 pounds ready-to-cook weight, compared with 47,594,000 pounds in May 1963. The quantity used in May 1964 consisted of 11,880,000 pounds of young chickens, 19,238,000 pounds of mature chickens, 14,967,000 pounds of turkeys, and 3,175,000 pounds of other poultry.

Cut-up Poultry - Poultry cut-up and packaged in plants under Federal inspection in May 1964 was 73,102,000 pounds ready-to-cook weight compared with 65,569,000 pounds in May 1963. The quantity cut-up during May 1964 consisted of 69,670,000 pounds of young chickens, 647,000 pounds mature chickens, 2,716,000 pounds of turkeys, and 69,000 pounds of other poultry.

Ante-mortem condemnations amounted to 1,499,000 pounds live weight for all classes. Condemnations by classes were equivalent to the following percentages of quantities inspected: young chickens, 0.21 percent; mature chickens, 0.53 percent; fryer-roaster turkeys, 0.14 percent; young turkeys, 0.11 percent; old turkeys, 0.14 percent; and ducks, 0.01 percent.

Post-mortem condemnations in May 1964 amounted to 13,673,000 pounds (NYD) weight. Condemnations by classes were equivalent to the following percentages of quantities inspected: young chickens, 2.26 percent; mature chickens, 2.76 percent; fryer-roaster turkeys, 1.37 percent; young turkeys, 1.84 percent; old turkeys, 2.20 percent; and ducks 1.46 percent. In May 1963, the condemnations by classes were equivalent to the following percentages of quantities inspected: young chickens, 2.05 percent; mature chickens, 2.64 percent; fryer-roaster turkeys, 1.53 percent; young turkeys, 1.75 percent; old turkeys, 2.06 percent; and ducks, 1.11 percent.

Poultry: Slaughtered under Federal Inspection, May 1964 with comparisons

Class	Number inspected		Pounds inspected (live weight)		Average live weight	
	May		April		May	
	Thou.	Thou.	Thou.	Thou.	Pounds	Pounds
Young chickens	160,745	166,340	166,997	726,884	772,479	562,889
Mature chickens	10,071	9,535	9,057	42,646	48,630	48,166
Total chickens	170,816	175,875	176,054	769,530	821,109	611,055
Fryer-roasters	1,201	1,062	1,006	4,279	5,023	10,408
Young turkeys	566	848	941	3,459	3,561	10,016
Old turkeys	129	849	657	1,371	982	2,649
Total turkeys	1,896	2,759	2,604	9,109	9,566	23,073
Ducks	1,037	1,295	1,301	3,087	3,006	6,715
Other poultry	---	---	---	---	---	169
Total poultry	---	---	---	---	---	641,012

Pounds certified (ready-to-cook weights)

Class	April 1964		May 1963		May 1964		January-May 1963		January-May 1964	
	Iced		Frozen		Iced		Frozen		Iced	
	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds	pounds
Young chickens	361,517	45,117	406,634	375,643	417,236	376,442	423,006	1,624,834	195,949	1,820,783
Mature chickens	20,523	11,909	32,432	21,458	32,097	18,390	30,218	96,921	43,726	140,647
Total chickens	382,040	57,026	439,066	397,101	449,333	394,832	453,224	1,721,755	239,675	1,961,430
Fryer-roasters	1,518	6,518	8,036	1,968	7,037	1,630	6,542	6,365	22,717	29,082
Young turkeys	2,131	5,748	7,879	1,744	10,216	3,459	12,679	10,073	43,088	53,161
Old turkeys	145	1,973	2,118	1,512	13,670	575	10,719	2,424	19,593	22,017
Total turkeys	3,794	14,239	18,033	5,224	30,923	5,664	29,940	18,862	85,398	104,260
Ducks	220	4,567	4,787	194	5,964	143	5,782	735	13,304	14,039
Other poultry	5	86	91	3	103	8	114	9	408	417
Total poultry	386,059	75,918	461,977	402,522	486,323	400,647	489,060	1,741,361	338,785	2,080,146



Poultry: Condemnations of poultry slaughtered under Federal Inspection, May 1964 with comparisons

Class	Ante-mortem condemnations				Post-mortem condemnations			
	Pounds (live weight)		Percent 1/		Pounds (live weight)		Percent 2/	
	May 1963	May 1964	May 1963	May 1964	May 1963	May 1964	May 1963	May 1964
	1,000 pounds	1,000 pounds	Percent	Percent	1,000 pounds	1,000 pounds	Percent	Percent
Young chickens	1,009	1,211	0.18	0.21	5,426	6,116	2.05	2.26
Mature chickens	198	237	.42	.53	777	941	2.64	2.76
Total chickens	1,207	1,448	.19	.23	6,203	7,057	2.09	2.30
Fryer-roasters	14	12	.15	.14	97	84	1.53	1.37
Young turkeys	14	18	.11	.11	95	112	1.75	1.84
Old turkeys	16	19	.09	.14	33	30	2.06	2.20
Total turkeys	44	49	.11	.13	225	226	1.83	1.86
Ducks	2	1	.03	.01	4	2	1.11	1.46
Other poultry 3/	---	1	---	.27	---	1	---	.52
Total	1,253	1,499	.19	.22	6,432	7,286	2.06	2.26

1/ Pounds condemned as percent of pounds (live weight) inspected. Percentages based on unrounded data.

2/ Pounds condemned as percent of equivalent N. Y. dressed weight of quantity inspected. Percentages based on unrounded data.

3/ Dashes mean less than 500 pounds.

Poultry: Inspected for canning and other processed foods, May 1964 with comparisons 1/

Class	Pounds used ready-to-cook weight				Pounds condemned ready-to-cook weight			
	April 1964		May 1964		April 1964		May 1964	
	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds	1,000 pounds
Young chickens	11,184	8,824	11,880	40,664	8	149	10	171
Further processed	67,259	61,866	69,670	294,386	---	---	---	---
Cut up								
Mature chickens	20,442	21,755	19,238	110,725	14	8	28	56
Further processed	989	765	647	4,167	---	---	---	---
Cut up								
Turkeys	15,226	13,726	14,967	62,897	2	3	2	22
Further processed	3,107	2,851	2,716	15,012	---	---	---	---
Cut up								
Other poultry 2/	3,668	3,289	3,175	17,787	3	7	7	48
Further processed	97	87	69	470	---	---	---	---
Cut up								
Total	50,520	47,594	49,260	232,073	27	167	47	297
Further processed	71,452	65,569	73,102	314,035	---	---	---	---
Cut up								

1/ All poultry inspected for canning and further processing and cut up and packaged in plants under Federal inspection.

2/ Poultry parts and fat used in further processing that cannot be identified by class are included in "other poultry."

Young chickens: Slaughtered under Federal Inspection, by regions and selected States, May 1963 and 1964

Region and State	Number inspected	Pounds		Average# live weight inspected	Total pounds certified		Post-mortem condemnations	
		1963	1964		1963	1964	Pounds (NPD)	Percent 2/
		1,000	1,000		1,000	1,000	1,000	1963 : 1964 : 1963 : 1964
N. Atl.	13,674	13,660	53,401	3.91	38,526	39,355	1,090	Percent 1.94
E. N. Cent.	3,337	2,603	12,148	3.64	8,826	6,830	183	1.68
W. N. Cent.	4,444	13,590	14,813	3.28	9,726	10,573	309	2.02
S. Atl.	72,230	71,001	253,544	3.51	185,658	183,547	4,856	1.95
S. Cent.	68,886	71,684	226,654	3.29	163,712	173,008	5,101	2.17
West	4,075	3,605	14,894	3.65	10,688	9,693	342	2.56
U. S.	166,340	166,997	574,231	3.45	417,236	423,006	11,826	2.05
Maine	5,574	5,885	21,878	3.93	16,295	17,618	456	2.14
Mass. 3/	505	---	2,001	3.96	1,393	---	58	3.25
Conn. 3/	---	772	---	---	---	2,033	72	---
N. J. 3/	20	---	99	4.94	33	---	---	1.98
Pa.	6,609	6,556	25,866	3.92	18,705	18,565	392	1.68
Ohio	726	501	2,664	3.61	1,943	1,371	530	1.49
Ind.	1,099	919	3,710	3.37	2,679	2,153	33	1.39
Ill.-Mich. 3/ 4/	393	---	1,504	3.83	1,066	---	40	2.98
Wis.	1,119	1,163	4,343	3.82	3,138	3,206	60	1.57
Iowa 3/	83	---	351	4.25	262	---	3	1.11
Mo.	3,317	3,684	10,671	3.22	7,588	8,405	175	1.83
Del.	7,660	7,358	29,462	3.85	21,753	21,043	508	1.92
Md.	10,358	10,410	39,807	3.84	28,590	28,186	664	1.86
Va.	4,458	4,103	13,467	3.02	9,549	9,001	211	1.74
N. C.	18,349	18,154	63,622	3.47	47,042	46,913	873	1.53
S. C.	2,025	1,885	6,968	3.44	5,025	4,736	114	1.83
Ga.	28,288	27,914	96,625	3.42	70,943	70,902	1,991	2.34
Ky.	2,109	1,763	7,182	3.41	5,075	4,214	92	1.28
Tenn.	4,889	4,420	16,458	3.37	12,048	11,060	241	2.09
Ala.	15,101	16,756	50,892	3.37	37,397	41,997	885	1.94
Miss.	12,963	12,964	42,621	3.29	31,364	31,796	694	1.81
Ark.	22,512	22,409	72,473	3.22	51,170	51,990	1,801	2.76
La.-Okla. 4/	2,945	3,168	9,661	3.28	7,007	7,743	235	2.52
Texas	8,367	10,204	27,367	3.27	19,651	24,208	426	1.73
Idaho	443	434	1,527	3.44	1,113	1,143	23	1.63
Wash.	969	788	3,596	3.71	2,559	2,059	44	1.36
Calif.	2,635	2,353	9,104	3.67	5,941	6,410	274	3.16

1/ Average weight based on unrounded data. 2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected.

Percentages based on unrounded data.

3/ Data for only 1 year published in order to avoid disclosure of individual operations.

4/ Combined to avoid disclosure of individual operations.

Young chickens: Number condemned post-mortem by cause, by regions and selected States, May 1964

Region and State	:Tuber- :culosis:		:Leu- :cosis:		:Septi- :cemia:		:Airsac- :culitis:		:Inflam- :matory:		:Tumors :sites:		:Bruises		:Cadaver :ination:		:Contam- :scald:		:Over- :position:		:Other		:Total	
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N. Atl.	---	108,508	47,677	59,179	31,186	829	2	1,870	7,969	9,849	275	41	10,765	278,150										
E. N. Cent.	1	1,639	6,717	29,009	4,426	237	1	830	1,821	1,872	978	---	---	547	48,078									
W. N. Cent.	---	4,592	13,157	54,451	19,788	360	0	1,074	2,805	3,474	380	3	3,364	103,448										
S. Atl.	---	443,532	220,471	426,900	178,846	4,874	13	11,951	41,505	79,655	6,097	2,246	25,201	1,441,286										
S. Cent.	---	175,219	237,096	667,960	182,460	5,863	4	15,244	53,941	77,444	4,557	372	27,784	1,447,944										
West.	---	19,708	20,195	33,625	13,059	403	1	710	2,433	3,444	327	44	7,158	101,107										
U. S.	1	753,198	545,313	1,271,124	429,765	12,566	21	31,679	110,469	175,738	12,614	2,706	74,819	3,420,013										
Maine	---	49,062	17,416	15,815	13,341	260	---	1,015	4,054	3,625	81	---	---	3,163	107,832									
Conn.	---	7,961	4,362	1,941	1,908	131	2	40	220	525	---	---	---	1,622	18,712									
Pa.	---	50,054	23,684	40,226	15,047	420	---	752	3,560	5,496	193	9	5,800	145,241										
Ohio	---	479	3,795	3,943	788	83	---	124	420	469	7	---	---	152	10,260									
Ind.	---	678	1,575	3,147	1,102	26	---	187	360	725	85	---	---	73	7,958									
Wis.	1	435	1,285	21,856	2,497	123	1	514	1,016	669	885	---	---	322	29,604									
Minn.	---	158	964	1,164	504	226	---	82	418	557	4	---	---	1,320	5,397									
Mo.	---	4,417	12,117	53,231	19,246	133	---	979	2,379	2,878	372	3	1,975	97,730										
Del.	---	72,965	18,091	40,769	17,285	523	2	736	4,170	5,280	147	3	3,115	163,086										
Md.	---	111,935	26,987	46,393	22,173	988	1	1,250	5,201	6,015	543	19	3,606	225,111										
Va.	---	14,305	5,336	28,116	13,577	71	---	340	1,656	1,826	119	2	588	65,936										
N.C.	---	64,068	53,242	121,139	51,735	981	---	3,010	13,497	17,988	1,976	231	5,418	333,285										
S.C.	---	21,847	10,328	13,176	4,085	114	---	487	1,574	3,075	49	66	194	54,995										
Ga.	---	155,698	102,648	168,711	67,173	2,142	10	6,059	15,174	45,182	3,219	1,925	11,613	579,554										
Ky.	---	2,529	3,688	15,901	5,635	38	---	757	1,261	741	11	---	---	564	31,125									
Tenn.	---	17,163	15,138	13,562	9,707	358	---	665	2,985	4,955	425	108	5,895	70,961										
Ala.	---	52,315	53,174	108,335	40,113	1,018	---	1,740	9,246	19,447	1,037	62	964	287,451										
Miss.	---	63,011	27,806	144,537	27,780	1,014	---	2,899	7,433	18,318	989	121	9,331	303,239										
Ark.	---	22,517	91,877	275,942	50,167	1,844	---	4,845	18,685	20,091	956	14	4,323	491,261										
Ia.-Okla. 1/	---	2,191	14,245	36,988	6,423	307	2	1,006	3,539	2,628	373	2	93	67,797										
Texas	---	15,493	31,168	72,695	42,635	1,284	2	3,332	10,792	11,264	766	65	6,614	196,110										
Idaho	---	1,081	1,965	1,885	584	10	---	134	148	287	110	17	617	6,838										
Wash.	---	405	5,366	2,330	1,489	72	---	121	758	433	82	27	1,221	12,304										
Calif.	---	18,052	12,845	29,410	10,973	319	---	441	1,518	2,717	135	---	---	5,320	81,730									

1/ Combined to avoid disclosure of individual operations.



Mature chickens: Slaughtered under Federal Inspection, by regions and selected States, May 1963 and 1964

Region and State	Number inspected	Pounds		Average live weight		Total pounds		Post-mortem condemnations	
		(live weight)		inspected 1/		: certified		: (NYD)	
		1963	1964	1963	1964	1963	1964	1963	1964
		Thou.	Thou.	pounds	pounds	pounds	pounds	Percent	Percent
N. Atl.	1,465	1,421	7,330	7,419	5.00	4,954	4,989	104	1.58
E. N. Cent.	1,421	1,457	6,117	6,180	4.30	4,191	4,195	121	2.21
W. N. Cent.	1,869	1,660	8,672	7,580	4.62	5,757	4,993	224	2.89
S. Atl.	1,863	1,973	10,831	10,993	5.81	7,528	7,528	213	3.14
S. Cent.	1,372	1,439	7,461	7,718	5.44	5,071	5,254	243	2.47
West.	1,545	1,107	6,757	4,896	4.37	4,494	3,259	247	3.70
U. S.	9,535	9,057	47,168	44,786	4.95	32,097	30,218	1,118	3.36
Maine	180	222	1,189	1,403	6.61	878	1,018	21	2.64
N. Y. 3/	167	---	717	---	4.28	486	---	10	1.95
N. J.	599	585	2,394	2,458	3.99	1,486	1,510	37	1.57
Pa.	255	303	1,379	1,671	5.40	935	1,109	15	1.73
Ohio	470	562	1,984	2,312	4.22	1,356	1,564	18	1.21
Ind.	411	358	1,793	1,577	4.36	1,218	1,073	42	2.37
Ill. 3/	366	---	1,528	---	4.17	1,004	---	38	2.57
Mich. 3/	48	---	205	---	4.25	136	---	26	---
Wis.	126	132	607	625	4.82	477	425	3	1.59
Minn.	766	742	3,267	3,056	4.27	2,108	1,964	12	2.16
Iowa 3/	216	---	925	---	4.29	613	---	107	3.64
Mo.	579	634	3,163	3,344	5.46	2,167	2,255	18	2.19
Del.	30	40	225	292	7.63	164	210	59	2.09
Md. 3/	---	502	---	2,120	---	---	1,446	5	2.38
Va.	233	218	1,410	1,221	6.04	---	866	---	---
N. C.	612	640	3,701	3,680	5.75	1,007	2,477	28	2.18
S. C.	16	11	89	79	5.54	63	57	60	1.82
Ga.	572	553	3,760	3,550	6.58	2,669	2,437	2	2.70
Ky.	52	106	280	528	5.37	188	358	93	3.26
Tenn.	359	181	1,875	950	5.22	1,266	650	5	1.82
Ala.	173	57	997	425	5.75	718	305	24	2.79
Miss.	130	604	729	2,779	5.61	491	1,869	33	4.10
Ark.	205	97	1,077	760	5.25	697	530	11	3.69
La.-Okla. 4/	160	83	987	485	6.17	680	325	16	2.44
Texas	293	311	1,516	1,791	5.17	1,031	1,217	41	4.19
Idaho	29	24	120	124	4.15	84	88	35	3.97
Utah 3/	37	---	139	---	3.81	102	---	49	3.62
Wash.	116	111	527	505	4.53	338	327	2	2.30
Calif.	1,323	949	5,801	4,173	4.38	3,862	2,780	178	4.04

1/ Average weight based on unrounded data. 2/ Pounds condemned as percent of equivalent N. Y. dressed weight of quantity inspected. Percentages based on unrounded data.

3/ Data for only 1 year published in order to avoid disclosure of individual operations.

4/ Combined to avoid disclosure of individual operations.



Mature chickens: Number condemned post-mortem by cause, by regions and selected States, May 1964

Region and State	Tuber- culosis	Leu- cosis	Sept- cemia	Airsac- culitis	Inflam- matory	Tumors	Para- sites	Bruises	Cadaver	Contam- ination	Over- scald	Decom- position	Other	Total
No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N. Atl.	36	4,032	9,433	20	4,875	3,269	5	370	732	1,323	22	34	6,077	30,228
E. N. Cent.	1,193	6,223	12,577	22	3,698	7,419	82	732	968	1,304	51	11	356	34,636
W. N. Cent.	5,238	3,001	13,788	267	8,154	7,592	296	1,130	891	4,132	196	---	3,604	48,289
S. Atl.	2	5,850	14,625	538	13,662	3,513	1	661	2,642	3,729	62	37	572	45,894
S. Cent.	1	16,153	11,123	213	13,861	2,165	45	781	1,369	3,695	115	27	442	49,990
West	---	889	18,041	559	5,877	10,229	355	844	614	2,908	83	1	5,938	46,338
U. S.	6,470	36,148	79,587	1,619	50,127	34,187	784	4,518	7,216	17,091	529	110	16,989	255,375
Maine	1	248	1,937	9	1,574	237	---	35	56	327	3	---	686	5,113
N. J.	31	2,787	4,784	5	993	2,078	---	167	471	361	12	31	4,447	16,167
Pa.	4	364	1,592	2	1,303	400	1	107	125	329	4	---	13	4,244
Ohio	247	4,085	4,545	4	2,441	3,016	14	152	522	483	14	4	255	15,782
Ind.	186	557	4,295	1	503	3,137	3	252	162	416	22	7	1	9,542
Wis.	401	558	605	6	454	285	6	31	29	108	1	---	69	2,553
Minn.	2,751	1,180	4,062	20	4,293	5,370	247	642	605	2,783	137	---	2,533	24,623
Mo.	374	1,311	6,749	125	2,070	1,087	48	301	256	894	45	---	997	14,257
Del.	---	175	182	16	176	67	---	5	17	44	---	---	---	682
Ma.	2	806	2,944	95	1,078	207	1	108	255	142	12	---	266	5,916
Va.	---	350	1,407	31	1,824	537	---	36	149	117	2	---	2	4,455
N. C.	---	3,427	5,356	97	5,366	512	---	207	1,751	1,392	41	1	6	18,156
S. C.	---	48	25	3	89	8	---	5	5	32	1	---	---	216
Ga.	---	1,031	4,675	296	5,036	2,177	---	296	463	1,991	6	36	276	16,283
Ky.	---	126	730	2	250	557	---	21	79	152	---	---	2	1,919
Tenn.	---	2,405	842	10	697	41	---	25	155	436	13	1	281	4,906
Ala.	---	75	770	9	331	82	---	16	28	73	1	1	6	1,392
Miss.	---	8,150	3,602	16	7,045	317	---	498	699	1,549	82	25	112	22,095
Ark.	---	167	1,182	108	909	115	---	20	39	174	4	---	24	2,742
La.-Okla. 1/	1	671	1,152	8	1,492	660	25	31	200	491	4	---	7	4,742
Texas	---	4,559	2,845	60	3,137	393	20	170	169	820	11	---	10	12,194
Idaho	---	55	240	---	146	28	---	16	19	55	1	---	36	596
Wash.	---	246	1,111	6	758	239	---	87	133	159	15	---	1,342	4,096
Calif.	---	524	16,545	553	4,945	9,952	355	719	458	2,664	67	1	4,560	41,343

1/ Combined to avoid disclosure of individual operations.

Young turkeys (mature): Slaughtered under Federal Inspection, by regions and selected States, May 1963 and 1964

Region and State	Number inspected		Pounds inspected (live weight)		Average live weight inspected 1/		Total pounds certified (Ready-to-cook wt.)		Post-mortem condemnations			
	:		:		:		:		:		:	
	1963	1964	1963	1964	1963	1964	1963	1964	1963	1964	1963	1964
	Thou.	Thou.	pounds	pounds	Pounds	Pounds	pounds	pounds	pounds	pounds	Percent	Percent
N. Atl. 3/	12	20	201	310	16.75	15.50	154	237	---	1	---	0.36
E. N. Cent.	110	55	1,472	899	13.38	16.35	1,166	685	15	23	1.13	2.84
W. N. Cent.	144	201	2,090	3,365	14.51	16.74	1,677	2,700	20	37	1.07	1.22
S. Atl.	196	275	3,280	4,518	16.73	16.43	2,590	3,528	54	83	1.83	2.04
S. Cent.	51	112	977	2,052	19.16	18.32	778	1,630	11	31	1.25	1.68
West	335	278	4,886	4,900	14.59	17.63	3,851	3,899	103	90	2.34	2.04
U. S.	848	941	12,906	16,044	15.22	17.05	10,216	12,679	203	265	1.75	1.84
Pa.	8	15	113	222	14.19	14.40	89	172	---	1	.56	.51
Ohio 3/ 4/	---	14	---	151	---	10.66	---	121	---	---	---	---
Wis.	103	41	1,344	738	13.03	18.04	1,062	556	15	23	1.25	3.55
Minn.	139	125	1,988	1,885	14.30	15.14	1,597	1,512	20	17	1.17	1.00
Iowa 4/	---	39	---	743	---	19.23	---	582	---	14	---	2.13
Va.	48	72	818	1,267	16.92	17.71	621	955	9	24	1.19	2.08
N. C.	119	162	2,145	2,825	18.06	17.47	1,722	2,247	40	57	2.09	2.25
Texas	43	102	860	1,906	19.96	18.77	685	1,515	9	30	1.11	1.76
Calif.	269	255	3,964	4,511	14.76	17.69	3,100	3,588	97	86	2.72	2.11

1/ Average weight based on unrounded data.

2/ Pounds condemned as percent of equivalent N. Y. dressed weight of quantity inspected. Percentages based on unrounded data.

3/ Dashes mean less than 500 head or 500 pounds.

4/ Data for only 1 year published in order to avoid disclosure of individual operations.

Young turkeys (mature): Number condemned post-mortem by cause, by regions and selected States, May 1964

Region and State	Tuber- culosis	Leu- cosis	Septi- cemia	Airsac- culitis	Inflam- matory	Tumors	Para- sites	Bruises	Cadaver	Contam- ination	Over- scald	Decom- position	Other	Total
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N. Atl.	---	---	39	8	25	1	---	2	2	3	---	---	6	86
E. N. Cent.	---	1	901	196	112	---	---	5	18	48	---	---	---	1,281
W. N. Cent.	1	22	762	647	169	13	---	20	60	97	1	9	1	1,802
S. Atl.	---	9	886	760	3,060	30	---	36	62	176	8	---	2	5,029
S. Cent.	---	52	344	237	1,076	5	3	26	12	20	---	---	---	1,775
West	---	6	1,011	1,766	1,247	4	---	39	79	146	14	---	3	4,315
U. S.	1	90	3,943	3,614	5,689	53	3	128	233	490	23	9	12	14,288
Pa.	---	---	18	8	17	1	---	2	1	3	---	---	5	55
Ohio	---	---	14	---	5	---	---	1	10	17	---	---	---	47
Wis.	---	1	886	196	105	---	---	4	8	31	---	---	---	1,231
Minn.	---	8	349	281	91	3	---	4	29	44	1	2	1	813
Iowa	1	11	276	240	69	10	---	12	19	52	---	7	---	697
Va.	---	1	312	643	177	6	---	5	36	7	---	---	2	1,189
N. C.	---	2	487	96	2,861	5	---	28	18	167	6	---	---	3,670
Texas	---	52	321	211	1,060	5	3	24	10	17	---	---	---	1,703
Calif.	---	5	923	1,749	1,198	3	---	33	73	144	14	---	3	4,145

Fryer-roaster turkeys: Slaughtered under Federal Inspection, by regions and selected States, May 1963 and 1964

Region and State	Number inspected		Pounds inspected (live weight)		Average live weight inspected 1/		Total pounds certified (Ready-to-cook wt.)		Post-mortem condemnations			
	1963	1964	1963	1964	1963	1964	1963	1964	1963	1964	1963	1964
	Thou.	Thou.	pounds	pounds	Pounds	Pounds	pounds	pounds	pounds	pounds	Percent	Percent
N. Atl.	13	34	107	267	8.08	7.93	79	203	1	2	0.88	0.57
E. N. Cent.	198	97	1,790	858	9.04	8.85	1,408	673	22	7	1.37	.91
W. N. Cent.	376	336	3,297	2,912	8.77	8.67	2,622	2,298	27	49	.91	1.87
S. Atl.	262	303	2,190	2,548	8.37	8.41	1,603	1,894	58	24	2.94	1.05
S. Cent.	67	31	533	272	7.96	8.77	412	212	4	2	.83	.82
West.	146	205	1,202	1,657	8.23	8.08	913	1,262	13	21	1.20	1.41
U. S.	1,062	1,006	9,119	8,514	8.59	8.46	7,037	6,542	125	105	1.53	1.37
Ohio	56	30	495	260	8.79	8.51	389	199	2	2	.42	.57
Wis. 3/	142	---	1,295	---	9.15	---	1,019	---	20	---	1.76	---
Minn.	317	323	2,812	2,803	8.86	8.68	2,238	2,212	23	46	.94	1.83
Va.	262	287	2,190	2,424	8.37	8.45	1,603	1,798	58	23	2.94	1.05
Calif.	143	204	1,175	1,647	8.21	8.06	892	1,255	13	21	1.21	1.37

Fryer-roaster turkeys: Number condemned post-mortem by cause, by regions and selected States, May 1964

Region and State	Tuber-: Leu- : Septi- : Aircac- : Inflam- : Tumors : Para- : Bruises : Cadaver- : Contam- : Over- : Decom- : Other : Total		culosis : cosis : cemia : colitis : matory		sites		infection : scald : position		No.		No.		No.		No.	
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N. Atl.	---	---	47	1	8	---	---	---	---	---	---	---	---	---	---	83
E. N. Cent.	---	---	276	63	57	---	1	6	64	81	---	---	---	---	7	555
W. N. Cent.	---	---	3,533	489	283	---	---	75	111	403	7	35	419	5,377	---	---
S. Atl.	---	---	668	664	410	---	---	15	101	57	6	---	---	1,927	---	---
S. Cent.	---	---	60	96	15	---	---	1	2	1	---	---	---	175	---	---
West.	---	---	866	599	432	---	---	52	22	474	29	---	196	2,670	---	---
U. S.	---	---	5,450	1,912	1,205	---	1	151	300	1,041	42	35	623	10,787	---	---
Ohio	---	---	32	---	25	---	1	1	10	17	---	---	---	7	93	---
Minn.	---	---	3,488	276	252	---	---	74	111	396	7	35	419	5,079	---	---
Va.	---	---	652	660	400	---	---	15	91	55	6	---	---	1,885	---	---
Calif.	---	---	845	599	432	---	---	52	21	474	29	---	196	2,648	---	---

1/ Average weight based on unrounded data.

2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected.

Percentages based on unrounded data.

3/ Data for only 1 year published in order to avoid disclosure of individual operations.



Old turkeys (breeders): Slaughtered under Federal Inspection, by regions and selected States, May 1963 and 1964

Region and State	Number inspected	Pounds		Average live weight		Total pounds certified		Post-mortem condemnations	
		(live weight)		inspected 1/		(Ready-to-cook wt.)		Pounds (NYD)	
		1963	1964	1963	1964	1963	1964	1963	1964
		Thou.	Thou.	pounds	pounds	pounds	pounds	pounds	Percent
N. Atl. 3/	---	---	---	1	95	15.83	72	2	2.34
E. N. Cent.	81	34	715	1,551	19.15	21.03	570	24	1.72
W. N. Cent.	327	252	5,140	6,634	20.29	20.40	4,993	107	1.79
S. Atl.	18	41	759	324	18.00	18.51	605	3	1.03
S. Cent.	152	105	2,076	3,046	20.04	19.77	1,665	62	2.26
West.	271	219	4,627	5,640	20.81	21.13	3,714	122	2.41
U. S.	849	657	17,196	13,412	20.25	20.41	13,670	318	2.06
Ohio	32	15	579	334	18.10	21.99	461	6	1.19
Wis. 4/	30	---	596	---	19.61	---	469	13	2.35
Minn.	165	170	3,345	3,488	20.28	20.50	2,657	66	2.21
Iowa 4/	84	---	1,699	---	20.15	---	1,377	21	1.36
Va.	9	4	172	65	18.71	15.98	135	1	1.16
Texas	78	38	1,572	783	20.15	20.88	1,250	28	1.98
Calif.	224	177	4,657	3,719	20.77	21.04	3,683	109	2.61

Old turkeys (breeders): Number condemned post-mortem by cause, by regions and selected States, May 1964

Region and State	Tuberc.:leu-:Septi-:Airsac-:Inflam-:		Tumors		Para-: sites		Bruises		Cadaver :inam:		Contam-: Over-: Decom-:		Other : Total	
	culosis:cosis: cemia: culitis: matory:		No.		No.		No.		No.		No.		No.	
	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.	No.
N. Atl.	---	34	18	1	14	3	---	---	---	9	---	---	---	79
E. N. Cent.	---	13	191	52	150	1	---	6	15	1	---	6	---	446
W. N. Cent.	---	101	1,332	921	1,231	14	---	64	153	---	---	---	58	3,964
S. Atl.	---	1	146	56	432	5	---	22	26	2	---	---	---	694
S. Cent.	---	13	288	106	430	10	---	31	31	---	---	---	---	917
West	---	24	1,600	191	1,832	65	---	74	103	1	---	---	---	3,954
U. S.	---	186	3,575	1,327	4,089	98	---	197	337	4	---	6	58	10,054
Ohio	---	3	56	13	35	---	---	3	4	1	---	6	---	123
Minn.	---	29	891	602	872	10	---	24	129	---	---	---	58	2,683
Va.	---	1	7	17	38	2	---	1	1	---	---	---	---	67
Texas	---	8	73	76	204	8	---	1	13	---	---	---	---	386
Calif.	---	23	1,450	20	1,566	64	---	58	100	1	---	---	---	3,308

1/ Average weight based on unrounded data. 2/ Pounds condemned as percent of equivalent N.Y. dressed weight of quantity inspected. Percentages based on unrounded data. 3/ Dashes mean less than 500 head or 500 pounds. 4/ Data for only 1 year published in order to avoid disclosure of individual operations.

OFFICIAL BUSINESS

Definitions

Young chickens - Commercially grown broilers-fryers and other young immature birds such as roasters and capons.

Mature chickens - Fowl from breeder and market egg flocks and stags and cocks.

Fryer-roaster turkeys - Young immature birds, usually under 16 weeks of age.

Young turkeys (mature) - Young birds grown to a matured market age, usually 5 to 7 months.

Old turkeys (breeders) - Fully matured birds held for egg production, usually over 15 months of age.

Ducks - Includes all ducks regardless of age and weight.

Other poultry - Includes all other ready-to-cook products which bear the U. S. D. A. Inspected for Wholesomeness legend.

\* \* \* \*

The data presented in this report were compiled from reports collected by the Inspection Branch of the Poultry Division, Agricultural Marketing Service.